

TRASPIREX

Safety Data Sheet — English translation of the Italian original · Compliant with Annex II of REACH — Regulation (EU) 2020/878 · Manufacturer: Colorificio ATRIA S.r.l., Partanna (TP), Italy · Revision n.3 of 08/05/2025 (supersedes revision 2 of 20/03/2023) · Product code: 51.TRX.9010_

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:	51.TRX.9010_
Name:	TRASPIREX
Chemical name and synonyms:	modified vinyl resin
Code notified to the ISS (Italian National Institute of Health):	—
Company code:	00013450812
Preparation code:	51.TRX.9010_

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description/Use:	thick (high-build) coating for exteriors
------------------	--

1.3. Details of the supplier of the safety data sheet

Company name:	COLORIFICIO ATRIA S.R.L.
Address:	Contrada Camarro Formeca
Town and Country:	91028 PARTANNA (TP), ITALY tel. +39 0924 49500 fax +39 0924 921250
E-mail of the competent person responsible for the safety data sheet:	amario@atria.it
Supplier:	Colorificio Atria Srl
US distributor:	ATRIA USA / Euro Star Enterprises LLC 17811 Davenport Road Suite 12, Dallas TX 75252, USA sales@atria-usa.com — +1 972-965-5881

1.4. Emergency telephone number

For urgent information contact: Colorificio Atria Srl — Technical Office +39 0924 49500, hours 08.00–13.00 / 14.30–17.00, excluding holidays.

US contact: ATRIA USA 972-965-5881 (business hours).

Italian Poison Control Centres (CAV):

"Osp. Pediatrico Bambino Gesù" Rome	Piazza Sant'Onofrio, 4	Telephone 06 68593726
Az. Osp. Univ. Foggia, Foggia	V.le Luigi Pinto, 1	Telephone 0881-732326
Az. Osp. "A. Cardarelli" Naples	Via A. Cardarelli, 9	Telephone 081-7472870
CAV Policlinico "Umberto I" Rome	V.le del Policlinico, 155	Telephone 06-49978000
CAV Policlinico "A. Gemelli" Rome	Largo Agostino Gemelli, 8	Telephone 06-3054343
Az. Osp. "Careggi" U.O. Medical Toxicology, Florence	Largo Brambilla, 3	Telephone 055-7947819

CAV National Centre of Toxicological Information, Pavia	Via Salvatore Maugeri, 10	Telephone 0382-24444
Osp. Niguarda Ca' Granda, Milan	Piazza Ospedale Maggiore, 3	Telephone 02-66101029
Azienda Ospedaliera Papa Giovanni XXII, Bergamo	Piazza OMS, 1	Telephone 800883300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adaptations). The product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2020/878. Any additional information concerning risks to health and/or the environment is given in sections 11 and 12 of this sheet.

Classification and hazard statements:

Specific target organ toxicity — repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.
--	------	--

2.2. Label elements

Hazard labelling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and adaptations.

Hazard pictograms:	[pictogram shown as image in the original — GHS08, health hazard]
Signal words:	Warning

Hazard statements:

H373	May cause damage to organs through prolonged or repeated exposure.
------	--

Precautionary statements:

P314	Get medical advice/attention if you feel unwell.
------	--

Contains:	QUARTZ
-----------	--------

2.3. Other hazards

On the basis of available data, the product does not contain PBT or vPvB substances in percentage $\geq 0.1\%$.

The product does not contain substances with endocrine-disrupting properties in concentration $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
QUARTZ INDEX — EC 238-878-4 CAS 14808-60-7	$30 \leq x < 32.5$	STOT RE 2 H373

AMMONIA INDEX 007-001-01-2 EC 215-647-6 CAS 1336-21-6	0.05 ≤ x < 0.1	Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400 M=1; Classification note pursuant to Annex VI of the CLP Regulation: B; STOT SE 3 H335: ≥ 5%
---	-------------------	--

The full text of the hazard (H) statements is given in section 16 of the sheet.

SECTION 4: First aid measures

4.1. Description of first aid measures

If in doubt, or if symptoms are present, contact a physician and show them this document. In case of more serious symptoms, call 118 (Italian emergency medical service) to obtain immediate medical assistance.

EYES: Remove contact lenses, if present, if the situation allows the operation to be carried out easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids wide. Consult a physician immediately.

SKIN: Remove contaminated clothing. Wash immediately with plenty of running water (and soap if possible). Consult a physician. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless expressly authorised by the physician. Do not give anything by mouth if the person is unconscious. Consult a physician immediately.

INHALATION: Move the person to fresh air, away from the site of the accident. Consult a physician immediately.

Protection of first-aiders

It is good practice for the rescuer assisting a person who has been exposed to a chemical substance or mixture to wear personal protective equipment. The nature of such protection depends on the hazardousness of the substance or mixture, the mode of exposure and the extent of contamination. In the absence of other more specific indications, it is recommended to use disposable gloves in case of possible contact with biological fluids. For the type of PPE suited to the characteristics of the substance or mixture, refer to section 8.

4.2. Most important symptoms and effects, both acute and delayed

No specific information on symptoms and effects caused by the product is known.

DELAYED EFFECTS: On the basis of the information currently available, no cases of delayed effects following exposure to this product are known.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical advice/attention if you feel unwell.

Means to have available at the workplace for specific and immediate treatment

Running water for washing skin and eyes.

SECTION 5: Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA

The extinguishing media are the conventional ones: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING MEDIA

Do not use a full water jet.

5.2. Special hazards arising from the substance or mixture

HAZARDS DUE TO EXPOSURE IN CASE OF FIRE: Any fires develop a thick black smoke. Exposure to decomposition products may be hazardous to health. Avoid breathing combustion products. Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, nitrogen oxides.

5.3. Advice for firefighters

GENERAL INFORMATION

Cool containers with water jets to prevent product decomposition and the development of substances potentially hazardous to health. Always wear full fire-fighting protective equipment. Collect extinguishing water, which must not be discharged into sewers. Dispose of the contaminated water used for extinguishing and of the fire residue in accordance with the regulations in force.

EQUIPMENT

Normal fire-fighting clothing, such as an open-circuit compressed-air self-contained breathing apparatus (EN 137), flame-retardant suit (EN 469), flame-retardant gloves (EN 659) and firefighter boots (HO A29 or A30).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop the leak if there is no danger. Wear suitable protective equipment (including the personal protective equipment referred to in section 8 of the safety data sheet) in order to prevent contamination of skin, eyes and personal clothing. These indications apply both to processing workers and to emergency responders.

6.2. Environmental precautions

Prevent the product from entering sewers, surface waters and groundwater.

6.3. Methods and material for containment and cleaning up

Draw up the spilled product into a suitable container. Assess the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material. Ensure sufficient ventilation of the place affected by the leak. Disposal of contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle the product after consulting all the other sections of this safety data sheet. Avoid release of the product into the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering areas where food is eaten.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep containers closed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, checking section 10.

7.3. Specific end use(s)

Information not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ITA	Italy	Legislative Decree of 9 April 2008, No. 81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

AMMONIA — Threshold limit value

Type	Country	TWA/8h		STEL/15min		Notes / Remarks
		mg/m3	ppm	mg/m3	ppm	
OEL	EU	14	20	36	50	

Legend:

(C) = CEILING; INALAB = Inhalable fraction; RESPIR = Respirable fraction; TORAC = Thoracic fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified; LOW = low hazard; MED = medium hazard; HIGH = high hazard.

8.2. Exposure controls

Considering that the use of adequate technical measures should always take priority over personal protective equipment, ensure good ventilation of the workplace by means of effective local extraction. For the choice of personal protective equipment, seek advice from your chemical suppliers if necessary. Personal protective equipment must bear the CE marking attesting its conformity with the regulations in force.

Exposure levels must be kept as low as possible to avoid significant accumulation in the body. Manage personal protective equipment in such a way as to ensure maximum protection (e.g. reduced replacement times).

HAND PROTECTION

Protect hands with category III work gloves. For the final choice of work-glove material (ref. standard EN 374), the following must be considered: compatibility, degradation, permeation time. In the case of preparations, the resistance of work gloves to chemical agents must be verified before use, as it is not predictable. Gloves have a wear time that depends on the duration and manner of use.

SKIN PROTECTION

Wear long-sleeved work clothing and category II professional-use safety footwear (ref. Regulation 2016/425 and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

EYE PROTECTION

It is advisable to wear hermetically sealed protective goggles (ref. standard EN ISO 16321).

RESPIRATORY PROTECTION

The use of respiratory protection equipment is necessary if the technical measures adopted are not sufficient to limit the worker's exposure to the threshold values considered. It is advisable to wear a mask with a type A filter whose class (1, 2 or 3) must be chosen in relation to the limit concentration of use (ref. standard EN 14387). If the substance in question is odourless or its olfactory threshold is higher than its TLV-TWA, and in emergencies, wear an open-circuit compressed-air self-contained breathing apparatus (ref. standard EN 137) or a fresh-air-hose breathing apparatus (ref. standard EN 138). For the correct choice of respiratory protective device, refer to standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from production processes, including those from ventilation equipment, should be controlled for the purposes of compliance with environmental-protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Information
Physical state	liquid	
Colour	white	
Odour	characteristic	
Melting point or freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 100 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	8.05	
Kinematic viscosity	not available	
Dynamic viscosity	Thixotropic	Temperature: 25 °C
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1.6 kg/l	Method: liquid pycnometer; Temperature: 25 °C
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F)	80.00 %	Method: ventilated oven
------------------------------	---------	-------------------------

VOC (Directive 2010/75/EU)	0.32 % — 5.12 g/litre	
----------------------------	-----------------------	--

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific experimental data on reactivity are available for this product or its ingredients.

AMMONIA

Corrodes: aluminium, iron, zinc, copper, copper alloys.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

Under normal conditions of use and storage, no hazardous reactions are foreseeable.

AMMONIA

Risk of explosion on contact with: strong acids, iodine. May react dangerously with: strong bases.

10.4. Conditions to avoid

None in particular. However, observe the usual precautions applicable to chemical products.

10.5. Incompatible materials

To avoid strong exothermic reactions, keep away from the following materials: oxidising agents, strong alkalis, strong acids.

AMMONIA

Incompatible with: silver, silver salts, lead, lead salts, zinc, zinc salts, hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane, acrylic acid.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be generated.

AMMONIA

May develop: nitrogen oxides.

SECTION 11: Toxicological information

In the absence of experimental toxicological data on the product itself, any health hazards of the product have been assessed on the basis of the properties of the substances contained, in accordance with the criteria laid down by the reference regulations for classification. Therefore, consider the concentration of the individual hazardous substances possibly cited in section 3 in order to assess the toxicological effects arising from exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, kinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Immediate, delayed and chronic effects from short- and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no relevant component)
ATE (Oral) of the mixture:	Not classified (no relevant component)
ATE (Dermal) of the mixture:	Not classified (no relevant component)

AMMONIA

LD50 (Oral):	350 mg/kg Rat
--------------	---------------

SKIN CORROSION / SKIN IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / EYE IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

SPECIFIC TARGET ORGAN TOXICITY (STOT) — SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

SPECIFIC TARGET ORGAN TOXICITY (STOT) — REPEATED EXPOSURE

May cause damage to organs

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

On the basis of available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on human health under evaluation.

SECTION 12: Ecological information

Use in accordance with good working practices, avoiding release of the product into the environment. Notify the competent authorities if the product has reached watercourses or has contaminated soil or vegetation.

12.1. Toxicity

AMMONIA

LC50 — Fish	47 mg/l/96h <i>Channa punctata</i>
EC50 — Crustaceans	20 mg/l/48h <i>Daphnia magna</i>

12.2. Persistence and degradability

Rapidly degradable

AMMONIA

Degradability: data not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain PBT or vPvB substances in percentage $\geq 0.1\%$.

12.6. Endocrine disrupting properties

On the basis of available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on the environment under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Reuse where possible. Product residues as such are to be considered non-hazardous special waste. Disposal must be entrusted to a company authorised for waste management, in compliance with national and, where applicable, local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in compliance with national waste-management regulations.

SECTION 14: Transport information

The product is not to be considered hazardous pursuant to the provisions in force concerning the transport of dangerous goods by road (ADR), by rail (RID), by sea (IMDG Code) and by air (IATA).

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category — Directive 2012/18/EU: None

Restrictions relating to the product or the substances contained pursuant to Annex XVII of Regulation (EC) 1907/2006

Product

Point	3 - 40
-------	--------

Substances contained

Point	75
-------	----

Regulation (EU) 2019/1148 — on the marketing and use of explosives precursors

not applicable

Substances in the Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain SVHC substances in percentage $\geq 0.1\%$.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to export notification requirement, Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Health checks (medical surveillance)

Workers exposed to this chemical agent hazardous to health must undergo health surveillance carried out in accordance with the provisions of Art. 41 of Legislative Decree (D.Lgs.) 81 of 9 April 2008, unless the risk to the worker's safety and health has been assessed as irrelevant, in accordance with Art. 224 paragraph 2.

D.Lgs. 152/2006 and subsequent amendments

Emissions according to Part V, Annex I:

TAB. B	Class III	32.02 %
TAB. C	Class IV	00.09 %
TAB. D	Class III	00.19 %
WATER		09.46 %

15.2. Chemical safety assessment

No chemical safety assessment has been prepared for the mixture / for the substances indicated in section 3.

SECTION 16: Other information

Text of the hazard (H) statements referred to in sections 2–3 of the sheet:

Flam. Liq. 3	Flammable liquid, Category 3
Acute Tox. 4	Acute toxicity, Category 4
STOT RE 1	Specific target organ toxicity — repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
STOT SE 3	Specific target organ toxicity — single exposure, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, Category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE / STA: Acute Toxicity Estimate
- CAS: Chemical Abstract Service number
- CE (EC): Identification number in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No-Effect Level
- EC50: Concentration giving effect to 50% of the test population
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labelling of chemicals
- IATA DGR: Dangerous Goods Regulation of the International Air Transport Association
- IC50: Immobilisation concentration of 50% of the test population
- IMDG: International Maritime code for the transport of Dangerous Goods
- IMO: International Maritime Organization
- INDEX: Identification number in Annex VI of the CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, Bioaccumulative and Toxic
- PEC: Predicted Environmental Concentration
- PEL: Predicted Exposure Level
- PMT: Persistent, Mobile and Toxic
- PNEC: Predicted No-Effect Concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the International carriage of Dangerous goods by rail
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that must not be exceeded at any time during occupational exposure
- TWA: Time-Weighted Average exposure limit
- TWA STEL: Short-Term Exposure Limit
- VOC: Volatile Organic Compound
- vPvB: very Persistent and very Bioaccumulative
- vPvM: very Persistent and very Mobile
- WGK: Water hazard class (Germany)

GENERAL BIBLIOGRAPHY:

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
3. Regulation (EU) 2020/878 (Annex II of the REACH Regulation)
4. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)
5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
12. Regulation (EU) 2016/1179 (IX Atp. CLP)

13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (EU) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (EU) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (EU) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (EU) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (EU) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (EU) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (EU) 2023/707
24. Delegated Regulation (EU) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (EU) 2023/1435 (XX Atp. CLP)

- The Merck Index — 10th Edition
- Handling Chemical Safety
- INRS — Fiche Toxicologique (toxicological sheet)
- Patty — Industrial Hygiene and Toxicology
- N.I. Sax — Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA Agency website
- Database of SDS models for chemical substances — Italian Ministry of Health and Istituto Superiore di Sanità

Note for the user:

The information contained in this sheet is based on the knowledge available to us at the date of the latest version. The user must ensure the suitability and completeness of the information in relation to the specific use of the product. This document must not be interpreted as a guarantee of any specific property of the product. Since the use of the product does not fall under our direct control, it is the user's obligation to observe, under his own responsibility, the laws and provisions in force concerning hygiene and safety. No liability is accepted for improper use. Provide adequate training to personnel involved in the use of chemical products.

CLASSIFICATION CALCULATION METHODS

Physical-chemical hazards: The classification of the product was derived from the criteria established by the CLP Regulation, Annex I, Part 2. The methods for evaluating the physical-chemical properties are reported in section 9.

Health hazards: The classification of the product is based on the calculation methods set out in Annex I of the CLP, Part 3, unless otherwise indicated in section 11.

Environmental hazards: The classification of the product is based on the calculation methods set out in Annex I of the CLP, Part 4, unless otherwise indicated in section 12.

Changes with respect to the previous revision:

Variations were made to the following sections: 04 / 08 / 09 / 11 / 15 / 16.

This document is an English translation of the manufacturer's original Italian Safety Data Sheet (revision noted above), prepared by ATRIA USA / Euro Star Enterprises LLC, Dallas TX (sales@atria-usa.com, +1 972-965-5881) for the convenience of US customers. In case of discrepancy the Italian original prevails. The original is available on request.